

Serial No. 10/757,131

AMENDMENTS**In the Claims**

1 - 17 (Cancelled)

18. (Currently Amended) An iron golf club provided with a head portion having a single cavity portion with a length along a first axis extending from a toe portion to a heel portion, a face portion, and a sole portion, comprising:

a groove extending along said face portion is provided on a surface on said cavity portion side of said sole portion; and

a thickness of a ball hitting portion in said face portion is made greater than a thickness of a top edge side portion of said face portion located between said ball hitting portion and a top edge portion and at least as thick as a thickness of a sole side portion of said face portion that is located between said ball hitting portion and said sole portion and that extends along said groove; and

~~consisting of a single~~ having only one projected wall portion offset from said face portion,

wherein the one projected wall portion is trapezoidal in shape; and

wherein said ~~single one~~ projected wall portion has a length along said first axis that is less than said length of said cavity portion along said first axis and has an inner surface formed by said groove and an outer surface that ~~extends to the periphery of said cavity portion side of said sole portion~~ is flush with a back portion of the iron golf club.

19. (Previously Presented) The iron golf club according to claim 18, wherein said thickness of said ball hitting portion is made greater than a thickness of a toe side portion of said face portion located between a toe portion of said head portion and said ball hitting portion and greater than a thickness of a heel side portion of said face portion located between a heel portion of said head portion and said ball hitting portion.

20. (Previously Presented) The iron golf club according to claim 18, wherein said toe side portion includes a first region located on said top edge portion side and a second region located on said sole portion side,

Serial No. 10/757,131

said heel side portion includes a third region located on said top edge portion side and a fourth region located on said sole portion, and

a thickness of said first region is made smaller than a thickness of said second region, and a thickness of said third region is made smaller than a thickness of said fourth region.

21. (Canceled)

22. (Canceled)

23. (Previously Presented) The iron golf club according to claim 18, wherein said head portion is formed by forging.

24. (Currently Amended) An iron golf club provided with a head portion having, a face portion, toe portion, a heel portion, a top edge portion, a back portion, and a sole portion, comprising:

a single cavity portion with a length along a first axis extending from the toe portion to the heel portion; and

~~consisting of a single having only one~~ projected wall portion offset from said cavity portion,

wherein the one projected wall portion is trapezoidal in shape, and

wherein the single projected wall portion extends upward from said sole portion and extending rearwardly beyond said top edge portion, said single projected wall portion having a length along said first axis that is less than said length of said single cavity portion along said first axis and has an outer surface that ~~extends to the periphery of said cavity portion side of said sole portion~~ is flush with the back portion of the iron golf club.

25. (Previously Presented) The golf club of claim 24 further comprising, a groove extending along said face portion is provided on a surface on said single cavity portion side of said sole portion.

Serial No. 10/757,131

26. (Previously Presented) The golf club of claim 25 further comprising, a thickness of a ball hitting portion in said face portion is made greater than a thickness of a top edge side portion of said face portion located between said ball hitting portion and a top edge portion and at least as thick as a thickness of a sole side portion of said face portion that is located between said ball hitting portion and said sole portion and that extends along said groove

27. (Canceled)

28. (New) An iron golf club provided with a head portion having, a face portion, toe portion, a heel portion, a top edge portion, a back portion, and a sole portion, comprising:

a single cavity portion with a length along a first axis extending from the toe portion to the heel portion; and

having only one trapezoidal-shaped projected wall portion extending upward from said sole portion,

wherein said single projected wall portion has a length along said first axis that is less than said length of said single cavity portion along said first axis and has an outer surface that is flush with the back portion.